Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	148	Embryo adj4 specific adj4 promoter	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/29 16:52
L2	145	l1 and plants	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/29 16:53
L3	147	l1 and plant	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/29 16:53
L4	129	I3 and maize	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/29 16:53

Kriz et al 10732721 Barba M Koroma 29/04/2005Page 1

=> d que			
L1	13	SEA	FILE=BIOSIS ABB=ON PLU=ON EMBRYO(4A)SPECIFIC PROMOTER
L2	35	SEA	FILE=CAPLUS ABB=ON PLU=ON EMBRYO (4A) SPECIFIC PROMOTER
L3	13	SEA	FILE=SCISEARCH ABB=ON PLU=ON EMBRYO(4A)SPECIFIC PROMOTER
т 4	61	CEA	EMPDYO / / A \ CDECTETC DROWGER
L4			EMBRYO(4A) SPECIFIC PROMOTER
L9	5	SEA	FILE=BIOSIS ABB=ON PLU=ON L1 AND PLANTS
L10	18	SEA	FILE=CAPLUS ABB=ON PLU=ON L2 AND PLANTS
L11	5	SEA	FILE=SCISEARCH ABB=ON PLU=ON L3 AND PLANTS
L12	28	SEA	L4 AND PLANTS

=> d ti 1-28

- L12 ANSWER 1 OF 28 BIOSIS COPYRIGHT (c) 2005 The Thomson Corporation on STN Production of gamma-linolenic acid and stearidonic acid in seeds of marker-free transgenic soybean.
- L12 ANSWER 2 OF 28 BIOSIS COPYRIGHT (c) 2005 The Thomson Corporation on STN Generation of low phytic acid Arabidopsis seeds expressing an E. coli phytase during embryo development.
- L12 ANSWER 3 OF 28 BIOSIS COPYRIGHT (c) 2005 The Thomson Corporation on STN TI Plant embryo-and aleurone-specific promoter
- L12 ANSWER 4 OF 28 BIOSIS COPYRIGHT (c) 2005 The Thomson Corporation on STN Production of fatty acid components of meadowfoam oil in somatic soybean embryos.
- L12 ANSWER 5 OF 28 BIOSIS COPYRIGHT (c) 2005 The Thomson Corporation on STN Induction and expression of seed-specific promoters in Arabidopsis embryo-defective mutants.
- L12 ANSWER 6 OF 28 CAPLUS COPYRIGHT 2005 ACS on STN
- TI Ectopic expression of a soybean phytase in developing seeds of Glycine max to improve phosphorus availability
- L12 ANSWER 7 OF 28 CAPLUS COPYRIGHT 2005 ACS on STN
- TI Flax seed-specific promoters for expression of transgenes in plant seeds
- L12 ANSWER 8 OF 28 CAPLUS COPYRIGHT 2005 ACS on STN
- TI Method for manipulating growth, yield, and architecture in transgenic plants expressing cis-prenyltransferase gene
- L12 ANSWER 9 OF 28 CAPLUS COPYRIGHT 2005 ACS on STN
- TI Sequence of corn seed embryo-preferred regulatory elements eapl and uses in regulating transcription in plants
- L12 ANSWER 10 OF 28 CAPLUS COPYRIGHT 2005 ACS on STN
- TI Barnase gene inserted in the intron of GUS a model for controlling transgene flow in host plants
- L12 ANSWER 11 OF 28 CAPLUS COPYRIGHT 2005 ACS on STN
- TI Plant genes for fructosyltransferase and their use in the development of transgenic plants with embryos rich in fructan
- L12 ANSWER 12 OF 28 CAPLUS COPYRIGHT 2005 ACS on STN
- TI Use of chimeric 2,3-oxidosqualene-β-amyrin cyclase and

Kriz et al 10732721 Barba M Koroma 29/04/2005Page 2

- 2,3-oxidosqualene-lanosterol cyclase genes for decreased triterpene production in transgenic soybean
- L12 ANSWER 13 OF 28 CAPLUS COPYRIGHT 2005 ACS on STN
- TI Methods of modifying plant growth and development by targeted expression of cell cycle control protein Cdc25
- L12 ANSWER 14 OF 28 CAPLUS COPYRIGHT 2005 ACS on STN
- TI Grain maturation-specific promoters for improved synthesis of wheat thioredoxin H in transgenic **plants** and their use in neutralizing food allergens and in germination and seedling development
- L12 ANSWER 15 OF 28 CAPLUS COPYRIGHT 2005 ACS on STN
- TI cDNAs encoding Arabidopsis thaliana cytochrome P 450 and their use in producing seedless enlarged fruit in transgenic plants
- L12 ANSWER 16 OF 28 CAPLUS COPYRIGHT 2005 ACS on STN
- TI Gossypium hirsutum tissue-specific promoters and their use
- L12 ANSWER 17 OF 28 CAPLUS COPYRIGHT 2005 ACS on STN
- TI Generation of low phytic acid Arabidopsis seeds expressing an E. coli phytase during embryo development
- L12 ANSWER 18 OF 28 CAPLUS COPYRIGHT 2005 ACS on STN
- TI Maize MIP synthase embryo-specific promoter, its use in genetic engineering of plants, and sequencing of the maize MIP synthase
- L12 ANSWER 19 OF 28 CAPLUS COPYRIGHT 2005 ACS on STN
- TI Production of fatty acid components of meadowfoam oil in somatic soybean embryos
- L12 ANSWER 20 OF 28 CAPLUS COPYRIGHT 2005 ACS on STN
- TI Sequences of maize metallothionein gene and root-specific promoter, and uses thereof in altering metal metabolism in plants
- L12 ANSWER 21 OF 28 CAPLUS COPYRIGHT 2005 ACS on STN
- TI Embryo-specific promoter of maize metallothionein gene useful for gene expression in transgenic plants
- L12 ANSWER 22 OF 28 CAPLUS COPYRIGHT 2005 ACS on STN
- TI Transgenic **plants** with decreased ADP glucose pyrophosphorylase activity and increased fatty acid and/or oil content
- L12 ANSWER 23 OF 28 CAPLUS COPYRIGHT 2005 ACS on STN
- TI Increasing the lysine and threonine content of the seeds of plants by introduction of genes for feedback-insensitive biosynthetic enzymes
- L12 ANSWER 24 OF 28 SCISEARCH COPYRIGHT (c) 2005 The Thomson Corporation on STN
- TI Ectopic expression of a soybean phytase in developing seeds of Glycine max to improve phosphorus availability
- L12 ANSWER 25 OF 28 SCISEARCH COPYRIGHT (c) 2005 The Thomson Corporation on STN
- TI Generation of low phytic acid Arabidopsis seeds expressing an E-coli phytase during embryo development

Kriz et al 10732721 Barba M Koroma 29/04/2005Page 3

- L12 ANSWER 26 OF 28 SCISEARCH COPYRIGHT (c) 2005 The Thomson Corporation on STN
- TI Production of fatty acid components of meadowfoam oil in somatic soybean embryos
- L12 ANSWER 27 OF 28 SCISEARCH COPYRIGHT (c) 2005 The Thomson Corporation on STN
- TI Targeted gene expression without a tissue-specific promoter: Creating mosaic embryos using laser-induced single-cell heat shock
- L12 ANSWER 28 OF 28 SCISEARCH COPYRIGHT (c) 2005 The Thomson Corporation on STN
- TI Somatic embryo cycling: Evaluation of a novel transformation and assay system for seed-specific gene expression in soybean

=>